







פנלים אקוסטיים מעוצבים Stereo panels


STEREO PANELS




Stereo panels
– Clipped to the wall




– Fastened with magnets to metal
furniture or partitions





– screwed to the ceiling



Stereo panels
– suspended using 2 horizontal cables




– suspended using 3 or 4
vertical cables




...in a dotted line or in parallel lines


אריחים אקוסטיים מעוצבים Stereo Panels מספוג
אקוסטי בעל מקדם בליעה גבוה העטופים על יד
פטנט ייחודי של בדים בצבעים מרהיבים חסיני אש





...in a line



When suspended in an unbroken line, Stereo panels are fixed together with brackets.



...to form a seamless cloud
(only for panels 596 x 1196 x 50 mm and 1196 x 1196 x 50 mm)



When clustered to form a seamless cloud, Stereo panels are suspended from a metal frame. They are fastened using special hinges for ease of removal.

Integrated light fittings


The Stereo panels may, as an option, be fitted with a sheet metal tray, cut to order, to accommodate light fittings. – For seamless cloud installations, the frame components prevent light fittings from being fitted in the grey zones indicated.

	1,196 x 1,196 mm	596 x 1,196 mm
A	150 mm	150 mm
B	270 mm	270 mm


ACOUSTICS

For a panel fabric-covered on one face 1,196 x 1,196 x 50 mm

Equivalent absorption area of an object A(m²) – spacing 1,500 mm



α Sabine - clustered



Frequencies (Hz)

125 250 500 1 000 2 000 4 000 5 000

Panel one face 1,196 x 1,196 x 50 mm

Equivalent absorption area of an object A(m²) – spacing 1,500 mm

– suspended 300 mm from the support 0,47 1,07 1,52 2,04 1,88 1,97 2,05

– screwed 10/20 mm from the support 0,38 0,90 1,78 1,89 1,60 1,51 1,51

α Sabine – in a cluster (floating cloud)

– à 300 mm from the support 0,29 0,70 0,85 1,01 1,05 1,11 1,14 0,93 A class NRC 0,90