

מסכים אקוסטיים דקורטיביים תלויים Stereo Screen



מסכים אקוסטיים דקורטיביים Stereo Screen

כפתרון אקוסטי מצוין בחללים גדולים. ניתן ליישום במבנים ללא אפשרות של הדבקת אלמנטים אקוסטיים ישירות על גבי הקונסטרוקציה ולשם כך נדרש חיבור של מערכת תליה. כמו כן, פתרון אקוסטי משובח באסתטיקה איכותית ביותר בשלל צבעים ומידות


Dimensions/weight/acoustics (specify)

Dimensions (mm)	Weight (kg)	Equivalent absorption area A (m ²) at medium frequencies	
		suspended	on a base
☐ 296 x 1,196 x 50 mm	2,60	-	0,60
☐ 296 x 1,796 x 50 mm	3,95	-	0,87
☐ 596 x 1,196 x 50 mm	3,35	0,97	0,96
☐ 1,196 x 1,196 x 50 mm	6,10	1,85	1,86
☐ 1,796 x 1,196 x 50 mm	8,40	2,65	2,70
☐ 2,396 x 1,196 x 50 mm	10,15	3,62	3,60

Fire rating

- Europe B-s2, d0
- France M1- non dripping


For a screen 1,196 x 1,196x 50 mm



Frequencies (Hz)	125	250	500	1000	2000	4000	5000
Suspended screen	0,46	0,96	1,62	2,21	2,09	2,09	2,19
Screen on a freestanding base (total h.: 1,500 mm)	0,34	0,83	1,60	2,16	2,09	2,17	2,18

Test report available on request – Standard NF EN 20354/ISO 354.

אפשרויות יישום




Between ceiling and floor on through cable fixings

Each screen, fabric covered on two faces, can be suspended between ceiling and floor, Using 2 stainless steel through cables, ordered separately:

Center-to-center dimension for the through cables is 600 1,200 1,800 2,400 mm (specify)

Pairs of cables (specify)

4 mm in diameter and 4,500 mm long fitted with two threaded end pieces (M6), one of which can rotate.




Suspended with vertical cable fixings

Each screen, fabric covered on two faces, can be suspended from the ceiling vertically using 2 or 3 stainless steel cables (depending on the width), 2 mm in diameter and 1,500 mm long, fitted with a threaded end piece (M6) and an adjustable slide.

Centre-to-center dimension for the fixings is: 600 1,200 1,800 2,400 mm


Option: cable length of 3,000 mm.



Screwed to the ceiling

Each screen, fabric covered on two faces, can be attached to a support rail screwed to the ceiling.

Centre-to-center dimension for the fixings is: 600 1,200 1,800 2,400 mm



Mounted on a freestanding base

Each screen, fabric covered on two faces, can be mounted on the floor on 2 stainless steel bases

(H: 1,500 mm, diam. 42 mm, base diam. 360 mm, base weight 8.3 kg).

Centre-to-center dimension for the bases is: 1,200 1,800 (specify)