





תקרה אקוסטית TechStyle

תקרה אקוסטית Techstyle™ בעיצוב "כוורת" המספקת בליעת רעש (NRC) מעל 0.85. ניתן להשיג במגוון מידות ייחודיות 60/360, 60/240, 60/120, 120/120, 120/240, 120/180. ניתן ליישם במגוון רחב של אפשרויות תכנון של התקנה ישירה על גבי תקרה או על מערכת תליה T בעזרת קליפסים. ניתן להתקין כאריח פריק לפתיחה מלאה וחזרה למקום בקליק לחיצה. אריחי Techstyle™ עמידים וקלים במיוחד נטולי פחמן רעיל (NO VOC) ונטולי פורמלדהיד, ובכך עוזרים לשימור איכות האוויר במבנה.




מידע טכני


צבעים: אופ וייט
 ציפוי אריח: ציפוי מינרלי.
 עובי אריח: 28 מ"מ




NOISE REDUCTION COEFFICIENT (α_w AND NRC)



SOUND ABSORPTION AVERAGE (SAA)




Sound Absorption Average (SAA) is calculated over a wide range of frequencies from 100Hz to 500Hz. This broad band average is a more accurate measure of the total sound absorption characteristics of the ceiling panel.




ACCESS

For access, simply apply pressure to either hinge side and the panel will swing down, allowing total access to the plenum.




PERIMETER OPTION 1

Using the Reveal Edge Wall Channel creates a 3 mm reveal from the wall to the panel. This channel may be curved to a concave or convex radius of 1200 mm.




PERIMETER OPTION 2

Two wall angles may also be used for a more traditional appearance.




CURVED WALL

Curved wall transitional trim from drywall to suspended ceilings.



FLOATING PERIMETER 1

Trim to create a 'floating' ceiling using the Floating Perimeter Trim (shown in photo on page 8). This trim may be curved to a concave or convex radius of 1200 mm.



FLOATING PERIMETER 2

Trim to create a 'floating' ceiling using the Floating Perimeter Trim. This trim may be curved to a concave or convex radius of 1200 mm.

איכות הסביבה
 אינו מכיל פורמלאדהיד.
 עמיד בפטרת ובלחות.
 מכיל 10% חומר ממוחזר.
 בעל משקל נמוך ולכן משאיר כמות פסולת
 קטנה "בסוף ימיו", ניתן למחזור ב- 100%.
 אינו מכיל רכיבים אורגניים נדיפים.
 שומר על איכות האוויר בחדר.

Substrate		Acoustical mat		
Colour		White, Off-white and Black		
Surface Finish		Mineral coating		
Panel Sizes*	Thickness	28.5 mm		
	Sizes	SwingDown - series	Lay-On T15	Lay-On T24
		600 x 600 mm	600 x 600 mm	600 x 600 mm
		600 x 1200 mm	600 x 1200 mm	600 x 1200 mm
		1200 x 1200 mm	600 x 1800 mm	600 x 1800 mm
			600 x 2400 mm	600 x 2400 mm
			1200 x 1200 mm	1200 x 1200 mm
			1200 x 1800 mm	1200 x 1800 mm
Acoustical Ratings	α_w	0.80 (ISO 11654, plenum depth 200 mm)		
	NRC	0.85 (ASTM C 423, plenum depth 400 mm)		
	SAA	0.86 (ASTM C 423, plenum depth 400 mm)		
Light Reflectance <i>(white only)</i>		LR-1 (81%) (EN 410)		
Surface Burning		B, S ₂ , d ₀ (EN 13823)		
Moisture Resistance		Resistant to 99% humidity		
Fungal Resistance		Resistant (ASTM C 1338)		
Weight of Panel		1.3 kg/m ²		
Formaldehyde content		Coatings / binders and fibers formaldehyde free		